

Your Exam Manager will receive a copy of the 2016 AIME Solution Pamphlet with the scores.

CONTACT US – Correspondence about the problems and solutions for this AIME and orders for any of our publications should be addressed to:

MAA American Mathematics Competitions
9050 Junction Drive
Annapolis Junction, MD 20701
Phone: 800.527.3690; Fax: 240.396.5647; email: amcinfo@maa.org

The problems and solutions for this AIME were prepared by the MAA's Committee on the AIME under the direction of:

Jonathan M. Kane
AIME Chair
kanej@uww.edu


2016 USA(J)MO – THE USA MATHEMATICAL OLYMPIAD (USAMO) and the USA MATHEMATICAL JUNIOR OLYMPIAD (USAJMO) are each a 6-question, 9-hour, essay-type examination. The best way to prepare for the USA(J)MO is to study previous years of these exams. Copies may be ordered from the web site indicated below.

PUBLICATIONS – For a complete listing of available publications please visit the MAA Bookstore or Competitions site at maa.org.

*The MAA American Invitational Mathematical Examination
A program of the Mathematical Association of America*

Supported by major contributions from

Akamai Foundation
American Mathematical Society
Art of Problem Solving, Inc.
Dropbox
Jane Street Capital
MathWorks
Simons Foundation
The D.E. Shaw Group
Susquehanna International Group
Tudor Investment Corporation
Two Sigma



1. DO NOT OPEN THIS BOOKLET UNTIL YOUR PROCTOR GIVES THE SIGNAL TO BEGIN.
2. This is a 15-question, 3-hour examination. All answers are integers ranging from 000 to 999, inclusive. Your score will be the number of correct answers. There is neither partial credit nor a penalty for wrong answers.
3. No aids other than scratch paper, graph paper, ruler, compass, and protractor are permitted. In particular, **calculators, calculating devices, smart phones or watches, and computers are not permitted.**
4. A combination of the AIME and the American Mathematics Contest 12 are used to determine eligibility for participation in the USA Mathematical Olympiad (USAMO). A combination of the AIME and the American Mathematics Contest 10 are used to determine eligibility for participation in the USA Junior Mathematical Olympiad (USAJMO). The USAMO and USAJMO will be given on TUESDAY and WEDNESDAY, April 19 and 20, 2016.
5. Record all your answers, and identification information, on the AIME answer form. Only the answer form will be collected from you.

The publication, reproduction, or communication of the problems or solutions for this contest during the period when students are eligible to participate seriously jeopardizes the integrity of the results. Dissemination at any time during this period, via copier, telephone, email, internet, or media of any type is a violation of the competition rules.

- Initially Alex, Betty, and Charlie had a total of 444 peanuts. Charlie had the most peanuts, and Alex had the least. The three numbers of peanuts that each person had form a geometric progression. Alex eats 5 of his peanuts, Betty eats 9 of her peanuts, and Charlie eats 25 of his peanuts. Now the three numbers of peanuts that each person has form an arithmetic progression. Find the number of peanuts Alex had initially.
- There is a 40% chance of rain on Saturday and a 30% chance of rain on Sunday. However, it is twice as likely to rain on Sunday if it rains on Saturday than if it does not rain on Saturday. The probability that it rains at least one day this weekend is $\frac{a}{b}$, where a and b are relatively prime positive integers. Find $a + b$.
- Let x , y , and z be real numbers satisfying the system

$$\begin{aligned}\log_2(xyz - 3 + \log_5 x) &= 5 \\ \log_3(xyz - 3 + \log_5 y) &= 4 \\ \log_4(xyz - 3 + \log_5 z) &= 4.\end{aligned}$$

Find the value of $|\log_5 x| + |\log_5 y| + |\log_5 z|$.

- An $a \times b \times c$ rectangular box is built from $a \cdot b \cdot c$ unit cubes. Each unit cube is colored red, green, or yellow. Each of the a layers of size $1 \times b \times c$ parallel to the $(b \times c)$ -faces of the box contains exactly 9 red cubes, exactly 12 green cubes, and some yellow cubes. Each of the b layers of size $a \times 1 \times c$ parallel to the $(a \times c)$ -faces of the box contains exactly 20 green cubes, exactly 25 yellow cubes, and some red cubes. Find the smallest possible volume of the box.
- Triangle ABC_0 has a right angle at C_0 . Its side lengths are pairwise relatively prime positive integers, and its perimeter is p . Let C_1 be the foot of the altitude to \overline{AB} , and for $n \geq 2$, let C_n be the foot of the altitude to $\overline{C_{n-2}B}$ in $\triangle C_{n-2}C_{n-1}B$. The sum $\sum_{n=1}^{\infty} C_{n-1}C_n = 6p$. Find p .
- For polynomial $P(x) = 1 - \frac{1}{3}x + \frac{1}{6}x^2$, define


$$Q(x) = P(x)P(x^3)P(x^5)P(x^7)P(x^9) = \sum_{i=0}^{50} a_i x^i.$$

Then $\sum_{i=0}^{50} |a_i| = \frac{m}{n}$, where m and n are relatively prime positive integers. Find $m + n$.

- Squares $ABCD$ and $EFGH$ have a common center and $\overline{AB} \parallel \overline{EF}$. The area of $ABCD$ is 2016, and the area of $EFGH$ is a smaller positive integer. Square $IJKL$ is constructed so that each of its vertices lies on a side of $ABCD$ and each vertex of $EFGH$ lies on a side of $IJKL$. Find the difference between the largest and smallest possible integer values for the area of $IJKL$.
- Find the number of sets $\{a, b, c\}$ of three distinct positive integers with the property that the product of a , b , and c is equal to the product of 11, 21, 31, 41, 51, and 61.

The maximum possible value of $x_2 = \frac{m}{n}$, where m and n are relatively prime positive integers. Find $m + n$.

9. The sequences of positive integers $1, a_2, a_3, \dots$ and $1, b_2, b_3, \dots$ are an increasing arithmetic sequence and an increasing geometric sequence, respectively. Let $c_n = a_n + b_n$. There is an integer k such that $c_{k-1} = 100$ and $c_{k+1} = 1000$. Find c_k .
10. Triangle ABC is inscribed in circle ω . Points P and Q are on side \overline{AB} with $AP < AQ$. Rays CP and CQ meet ω again at S and T (other than C), respectively. If $AP = 4$, $PQ = 3$, $QB = 6$, $BT = 5$, and $AS = 7$, then $ST = \frac{m}{n}$, where m and n are relatively prime positive integers. Find $m + n$.
11. For positive integers N and k , define N to be k -nice if there exists a positive integer a such that a^k has exactly N positive divisors. Find the number of positive integers less than 1000 that are neither 7-nice nor 8-nice.
12. The figure below shows a ring made of six small sections which you are to paint on a wall. You have four paint colors available and will paint each of the six sections a solid color. Find the number of ways you can choose to paint the sections if no two adjacent sections can be painted with the same color.



13. Beatrix is going to place six rooks on a 6×6 chessboard where both the rows and columns are labeled 1 to 6; the rooks are placed so that no two rooks are in the same row or the same column. The *value* of a square is the sum of its row number and column number. The *score* of an arrangement of rooks is the least value of any occupied square. The average score over all valid configurations is $\frac{p}{q}$, where p and q are relatively prime positive integers. Find $p + q$.
14. Equilateral $\triangle ABC$ has side length 600. Points P and Q lie outside the plane of $\triangle ABC$ and are on the opposite sides of the plane. Furthermore, $PA = PB = PC$, and $QA = QB = QC$, and the planes of $\triangle PAB$ and $\triangle QAB$ form a 120° dihedral angle (the angle between the two planes). There is a point O whose distance from each of A, B, C, P , and Q is d . Find d .
15. For $1 \leq i \leq 215$ let $a_i = \frac{1}{2^i}$ and $a_{216} = \frac{1}{2^{216}}$. Let x_1, x_2, \dots, x_{216} be positive real numbers such that

$$\sum_{i=1}^{216} x_i = 1 \quad \text{and} \quad \sum_{1 \leq i < j \leq 216} x_i x_j = \frac{107}{215} + \sum_{i=1}^{216} \frac{a_i x_i^2}{2(1 - a_i)}.$$