AMC 10 B

DO NOT OPEN UNTIL WEDNESDAY, February 19, 2014


Administration On An Earlier Date Will Disqualify Your School's Results

- 1. All information (Rules and Instructions) needed to administer this exam is contained in the TEACHERS' MANUAL, which is outside of this package. PLEASE READ THE MANUAL BEFORE FEBRUARY 19, 2014. Nothing is needed from inside this package until February 19.
- 2. Your PRINCIPAL or VICE-PRINCIPAL must verify on the AMC 10 CERTIFICATION FORM (found in the Teachers' Manual) that you followed all rules associated with the conduct of the exam.
- 3. The Answer Forms must be mailed by trackable mail to the AMC office no later than 24 hours following the exam.
- 4. The publication, reproduction or communication of the problems or solutions of this test during the period when students are eligible to participate seriously jeopardizes the integrity of the results. Dissemination at any time via copier, telephone, email, internet or media of any type is a violation of the competition rules.

The American Mathematics Competitions

are Sponsored by

The Mathematical Association of America - MAA The Akamai Foundation	www.maa.org www.akamai.com
Contributors	
Academy of Applied Sciences – AAS	www.aas-world.org
American Mathematical Association of Two-Year Colleges - AMATYC	www.amatyc.org
American Mathematical Society - AMS	www.ams.org
American Statistical Association - ASA	www.amstat.org
Art of Problem Solving - AoPS	www.artofproblemsolving.com
Association of Symbolic Logic - ASL	www.alsonline.org
Awesome Math	www.awesomemath.org
Casualty Actuarial Society - CAS Conference Board of the Mathematical Sciences - CBMS	www.casact.org
Conference Board of the Mathematical Sciences - CBMS	www.cbmsweb.org
The D.E. Shaw Group	www.deshaw.com
IDEA Math	www.ideamath.org
Jane Street Capital	www.ianestreet.com
Math For America	
Math Training Center	
Mu Alpha Theta – MAT	www.mualnhatheta.org
Pi Mu Epsilon - PME.	www.nme-math.org
Society for Industrial and Applied Math – SIAM	www.whfreeman.com



INSTRUCTIONS

- 1. DO NOT OPEN THIS BOOKLET UNTIL YOUR PROCTOR TELLS YOU.
- 2. This is a twenty-five question multiple choice test. Each question is followed by answers marked A, B, C, D and E. Only one of these is correct.
- 3. Mark your answer to each problem on the AMC 10 Answer Form with a #2 pencil. Check the blackened circles for accuracy and erase errors and stray marks completely. Only answers properly marked on the answer form will be graded.
- 4. SCORING: You will receive 6 points for each correct answer, 1.5 points for each problem left unanswered, and 0 points for each incorrect answer.
- 5. No aids are permitted other than scratch paper, graph paper, rulers, compass, protractors, and erasers. No calculators are allowed. No problems on the test will *require* the use of a calculator.
- 6. Figures are not necessarily drawn to scale.

Wednesday February 19, 2014

- 7. Before beginning the test, your proctor will ask you to record certain information on the answer form.
- 8. When your proctor gives the signal, begin working on the problems. You will have 75 minutes to complete the test.
- 9. When you finish the exam, sign your name in the space provided on the Answer Form.

The Committee on the American Mathematics Competitions (CAMC) reserves the right to re-examine students before deciding whether to grant official status to their scores. The CAMC also reserves the right to disqualify all scores from a school if it is determined that the required security procedures were not followed.

Students who score 120 or above or finish in the top 2.5% on this AMC 10 will be invited to take the 32nd annual American Invitational Mathematics Examination (AIME) on Thursday, March 13, 2014 or Wednesday, March 26, 2014. More details about the AIME and other information are on the back page of this test booklet.

The publication, reproduction or communication of the problems or solutions of the AMC 10 during the period when students are eligible to participate seriously jeopardizes the integrity of the results. Dissemination via copier, telephone, e-mail, World Wide Web or media of any type during this period is a violation of the competition rules. After the contest period, permission to make copies of problems in paper or electronic form including posting on web-pages for educational use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear the copyright notice.

© 2014 Mathematical Association of America


- 1. Leah has 13 coins, all of which are pennies and nickels. If she had one more nickel than she has now, then she would have the same number of pennies and nickels. In cents, how much are Leah's coins worth?
 - (A) 33
- **(B)** 35
- (C) 37
- **(D)** 39
- **(E)** 41

- 2. What is $\frac{2^3 + 2^3}{2^{-3} + 2^{-3}}$?
 - (A) 16
- **(B)** 24
- (C) 32
- **(D)** 48
- (E) 64
- 3. Randy drove the first third of his trip on a gravel road, the next 20 miles on pavement, and the remaining one-fifth on a dirt road. In miles, how long was Randv's trip?

 - (A) 30 (B) $\frac{400}{11}$ (C) $\frac{75}{2}$ (D) 40 (E) $\frac{300}{7}$

- 4. Susie pays for 4 muffins and 3 bananas. Calvin spends twice as much paying for 2 muffins and 16 bananas. A muffin is how many times as expensive as a banana?

- (A) $\frac{3}{2}$ (B) $\frac{5}{3}$ (C) $\frac{7}{4}$ (D) 2 (E) $\frac{13}{4}$
- 5. Doug constructs a square window using 8 equal-size panes of glass, as shown. The ratio of the height to width for each pane is 5:2, and the borders around and between the panes are 2 inches wide. In inches, what is the side length of the square window?



- (A) 26
- **(B)** 28
- **(C)** 30
- **(D)** 32
- (E) 34

- 6. Orvin went to the store with just enough money to buy 30 balloons. When he arrived he discovered that the store had a special sale on balloons: buy 1 balloon at the regular price and get a second at $\frac{1}{3}$ off the regular price. What is the greatest number of balloons Orvin could buy?
 - (A) 33

2

- **(B)** 34
- (C) 36
- **(D)** 38
- (E) 39
- 7. Suppose A > B > 0 and A is x\% greater than B. What is x?
- (A) $100\left(\frac{A-B}{B}\right)$ (B) $100\left(\frac{A+B}{B}\right)$ (C) $100\left(\frac{A+B}{A}\right)$
- (D) $100\left(\frac{A-B}{A}\right)$ (E) $100\left(\frac{A}{B}\right)$
- 8. A truck travels $\frac{b}{6}$ feet every t seconds. There are 3 feet in a yard. How many yards does the truck travel in 3 minutes?
 - (A) $\frac{b}{1080t}$ (B) $\frac{30t}{b}$ (C) $\frac{30b}{t}$ (D) $\frac{10t}{b}$ (E) $\frac{10b}{t}$

9. For real numbers w and z,

$$\frac{\frac{1}{w} + \frac{1}{z}}{\frac{1}{w} - \frac{1}{z}} = 2014.$$

What is $\frac{w+z}{w-z}$?

- (A) -2014 (B) $\frac{-1}{2014}$ (C) $\frac{1}{2014}$
- **(D)** 1
- **(E)** 2014
- 10. In the addition shown below A, B, C, and D are distinct digits. How many different values are possible for D?

$$\begin{array}{c} ABBCB \\ + BCADA \\ \hline DBDDD \end{array}$$

- (A) 2
 - (B) 4
- (C) 7
- (D) 8
- (E) 9


- 11. For the consumer, a single discount of n% is more advantageous than any of the following discounts:
 - (1) two successive 15% discounts
 - (2) three successive 10% discounts
 - (3) a 25% discount followed by a 5% discount

What is the smallest possible positive integer value of n?

- (A) 27
- **(B)** 28
- (C) 29
- **(D)** 31
- **(E)** 33
- 12. The largest divisor of 2,014,000,000 is itself. What is its fifth largest divisor?
 - (A) 125,875,000
- **(B)** 201,400,000
- (C) 251,750,000
- (**D**) 402,800,000


4

- **(E)** 503,500,000
- 13. Six regular hexagons surround a regular hexagon of side length 1 as shown. What is the area of $\triangle ABC$?



- **(A)** $2\sqrt{3}$
- **(B)** $3\sqrt{3}$
- (C) $1 + 3\sqrt{2}$
- **(D)** $2 + 2\sqrt{3}$
- **(E)** $3 + 2\sqrt{3}$
- 14. Danica drove her new car on a trip for a whole number of hours, averaging 55 miles per hour. At the beginning of the trip, abc miles was displayed on the odometer, where abc is a 3-digit number with a > 1 and a + b + c < 7. At the end of the trip, the odometer showed cba miles. What is $a^2 + b^2 + \overline{c^2}$?
 - (A) 26
- **(B)** 27
- **(C)** 36
- (D) 37
- **(E)** 41

15. In rectangle ABCD, DC = 2CB and points E and F lie on \overline{AB} so that \overline{ED} and \overline{FD} trisect $\angle ADC$ as shown. What is the ratio of the area of $\triangle DEF$ to the area of rectangle ABCD?




- (A) $\frac{\sqrt{3}}{6}$ (B) $\frac{\sqrt{6}}{8}$ (C) $\frac{3\sqrt{3}}{16}$ (D) $\frac{1}{3}$ (E) $\frac{\sqrt{2}}{4}$
- 16. Four fair six-sided dice are rolled. What is the probability that at least three of the four dice show the same value?

- (A) $\frac{1}{36}$ (B) $\frac{7}{72}$ (C) $\frac{1}{9}$ (D) $\frac{5}{36}$ (E) $\frac{1}{6}$
- 17. What is the greatest power of 2 that is a factor of $10^{1002} 4^{501}$?
 - (A) 2^{1002}
- **(B)** 2^{1003}
- (C) 2^{1004}
- (D) 2^{1005}
- (E) 2^{1006}
- 18. A list of 11 positive integers has a mean of 10, a median of 9, and a unique mode of 8. What is the largest possible value of an integer in the list?
 - (A) 24
- **(B)** 30
- (C) 31
- **(D)** 33
- (E) 35
- 19. Two concentric circles have radii 1 and 2. Two points on the outer circle are chosen independently and uniformly at random. What is the probability that the chord joining the two points intersects the inner circle?

- (A) $\frac{1}{6}$ (B) $\frac{1}{4}$ (C) $\frac{2-\sqrt{2}}{2}$ (D) $\frac{1}{3}$ (E) $\frac{1}{2}$

- 20. For how many integers x is the number $x^4 51x^2 + 50$ negative?
 - (A) 8
- **(B)** 10
- (C) 12
- **(D)** 14
- **(E)** 16
- 21. Trapezoid ABCD has parallel sides \overline{AB} of length 33 and \overline{CD} of length 21. The other two sides are of lengths 10 and 14. The angles at A and B are acute. What is the length of the shorter diagonal of ABCD?
 - **(A)** $10\sqrt{6}$
 - **(B)** 25
- (C) $8\sqrt{10}$
 - **(D)** $18\sqrt{2}$
- **(E)** 26
- 22. Eight semicircles line the inside of a square with side length 2 as shown. What is the radius of the circle tangent to all of these semicircles?



- (A) $\frac{1+\sqrt{2}}{4}$ (B) $\frac{\sqrt{5}-1}{2}$ (C) $\frac{\sqrt{3}+1}{4}$ (D) $\frac{2\sqrt{3}}{5}$ (E) $\frac{\sqrt{5}}{2}$

- 23. A sphere is inscribed in a truncated right circular cone as shown. The volume of the truncated cone is twice that of the sphere. What is the ratio of the radius of the bottom base of the truncated cone to the radius of the top base of the truncated cone?



- (A) $\frac{3}{2}$ (B) $\frac{1+\sqrt{5}}{2}$
- (C) $\sqrt{3}$ (D) 2

24. The numbers 1, 2, 3, 4, 5 are to be arranged in a circle. An arrangement is bad if it is not true that for every n from 1 to 15 one can find a subset of the numbers that appear consecutively on the circle that sum to n. Arrangements that differ only by a rotation or a reflection are considered the same. How many different bad arrangements are there?

(D) 4

- (\mathbf{A}) 1
- **(B)** 2
- (C) 3
- (E) 5
- 25. In a small pond there are eleven lily pads in a row labeled 0 through 10. A frog is sitting on pad 1. When the frog is on pad N, 0 < N < 10, it will jump to pad N-1 with probability $\frac{N}{10}$ and to pad N+1 with probability $1-\frac{N}{10}$. Each jump is independent of the previous jumps. If the frog reaches pad 0 it will be eaten by a patiently waiting snake. If the frog reaches pad 10 it will exit the pond, never to return. What is the probability that the frog will escape being eaten by the snake?
- (A) $\frac{32}{79}$ (B) $\frac{161}{384}$ (C) $\frac{63}{146}$ (D) $\frac{7}{16}$ (E) $\frac{1}{2}$