

2017
AMC 12A

DO NOT OPEN UNTIL TUESDAY, February 7, 2017

****Administration On An Earlier Date Will Disqualify Your School's Results****

1. All information (Rules and Instructions) needed to administer this exam is contained in the Teachers' Manual. PLEASE READ THE MANUAL BEFORE FEBRUARY 7, 2017.
2. Your PRINCIPAL or VICE-PRINCIPAL must verify on the AMC 12 CERTIFICATION FORM (found on amc.maa.org under 'AMC 10/12') that you followed all rules associated with the conduct of the exam.
3. The Answer Forms must be mailed by trackable mail to the AMC office no later than 24 hours following the exam.
4. *The publication, reproduction or communication of the problems or solutions for this contest during the period when students are eligible to participate seriously jeopardizes the integrity of the results. Dissemination at any time via copier, telephone, email, internet, or media of any type is a violation of the competition rules.*

The
MAA American Mathematics Competitions
are supported by

Academy of Applied Science	IDEA MATH, LLC
Akamai Foundation	Jane Street Capital
American Mathematical Society	MathWorks
American Statistical Association	Mu Alpha Theta
Ansatz Capital	National Council of Teachers of Mathematics
Army Educational Outreach Program	Simons Foundation
Art of Problem Solving	Society for Industrial and Applied Mathematics
Casualty Actuarial Society	Star League
Conference Board of the Mathematical Sciences	Susquehanna International Group
The DE Shaw Group	Tudor Investment Corp
Dropbox	Two Sigma
ExpII, Inc	



American Mathematics Competitions

68th Annual

AMC 12A

American Mathematics Competition 12A

Tuesday, February 7, 2017

INSTRUCTIONS

1. DO NOT OPEN THIS BOOKLET UNTIL YOUR PROCTOR TELLS YOU.
2. This is a 25-question multiple-choice test. Each question is followed by answers marked A, B, C, D, and E. Only one of these is correct.
3. Mark your answer to each problem on the AMC 10 Answer Form with a #2 pencil. Check the blackened circles for accuracy and erase errors and stray marks completely. Only answers properly marked on the answer form will be graded. **No copies.**
4. SCORING: You will receive 6 points for each correct answer, 1.5 points for each problem left unanswered, and 0 points for each incorrect answer.
5. No aids are permitted other than scratch paper, graph paper, rulers, compass, protractors, and erasers. No calculators, smartwatches, phones, or computing devices are allowed. No problems on the test will require the use of a calculator.
6. Figures are not necessarily drawn to scale.
7. Before beginning the test, your proctor will ask you to record certain information on the answer form.
8. When your proctor gives the signal, begin working on the problems. You will have **75 minutes** to complete the test.
9. When you finish the exam, *sign your name* in the space provided on the Answer Form.

The Committee on the American Mathematics Competitions (CAMC) reserves the right to re-examine students before deciding whether to grant official status to their scores. The CAMC also reserves the right to disqualify all scores from a school if it is determined that the required security procedures were not followed.

Students who score well on this AMC 10 will be invited to take the 35th annual American Invitational Mathematics Examination (AIME) on Thursday, March 7, 2017 or Wednesday, March 22, 2017. More details about the AIME are on the back page of this test booklet.

The publication, reproduction or communication of the problems or solutions for this competition during the period when students are eligible to participate seriously jeopardizes the integrity of the results. Dissemination at any time via copier, telephone, email, internet, or media of any type is a violation of the competition rules.

- Pablo buys popsicles for his friends. The store sells single popsicles for \$1 each, 3-popsicle boxes for \$2, and 5-popsicle boxes for \$3. What is the greatest number of popsicles that Pablo can buy with \$8?
(A) 8 (B) 11 (C) 12 (D) 13 (E) 15
- The sum of two nonzero real numbers is 4 times their product. What is the sum of the reciprocals of the two numbers?
(A) 1 (B) 2 (C) 4 (D) 8 (E) 12
- Ms. Carroll promised that anyone who got all the multiple choice questions right on the upcoming exam would receive an A on the exam. Which one of these statements necessarily follows logically?
(A) If Lewis did not receive an A, then he got all of the multiple choice questions wrong.
(B) If Lewis did not receive an A, then he got at least one of the multiple choice questions wrong.
(C) If Lewis got at least one of the multiple choice questions wrong, then he did not receive an A.
(D) If Lewis received an A, then he got all of the multiple choice questions right.
(E) If Lewis received an A, then he got at least one of the multiple choice questions right.
- Jerry and Silvia wanted to go from the southwest corner of a square field to the northeast corner. Jerry walked due east and then due north to reach the goal, but Silvia headed northeast and reached the goal walking in a straight line. Which of the following is closest to how much shorter Silvia's trip was, compared to Jerry's trip?
(A) 30% (B) 40% (C) 50% (D) 60% (E) 70%
- At a gathering of 30 people, there are 20 people who all know each other and 10 people who know no one. People who know each other hug, and people who do not know each other shake hands. How many handshakes occur?
(A) 240 (B) 245 (C) 290 (D) 480 (E) 490



American Mathematics Competitions

WRITE TO US!

Correspondence about the problems and solutions for this AMC 12 and orders for publications should be addressed to:

MAA American Mathematics Competitions
PO Box 471

Annapolis Junction, MD 20701

Phone 800.527.3690 | Fax 240.396.5647 | amcinfo@maa.org

The problems and solutions for this AMC 12 were prepared by MAA's Subcommittee on the AMC10/AMC12 Exams, under the direction of the co-chairs Jerrold W. Grossman and Carl Yerger.

2017 AIME

The 35th annual AIME will be held on Thursday, March 7, 2017 with the alternate on Wednesday, March 22, 2017. It is a 15-question, 3-hour, integer-answer exam. You will be invited to participate if you achieve a high score on this competition. Top-scoring students on the AMC 10/12/AIME will be selected to take the 46th Annual USA Mathematical Olympiad (USAMO) on April 19–20, 2017. The best way to prepare for the AIME and USAMO is to study previous exams. Copies may be ordered as indicated below.

PUBLICATIONS

A complete listing of current publications, with ordering instructions, is at our web site:
www.maa.org/amc

24. Quadrilateral $ABCD$ is inscribed in circle O and has sides $AB = 3$, $BC = 2$, $CD = 6$, and $DA = 8$. Let X and Y be points on \overline{BD} such that

$$\frac{DX}{BD} = \frac{1}{4} \quad \text{and} \quad \frac{BY}{BD} = \frac{11}{36}.$$

Let E be the intersection of line AX and the line through Y parallel to \overline{AD} . Let F be the intersection of line CX and the line through E parallel to \overline{AC} . Let G be the point on circle O other than C that lies on line CX . What is $XF \cdot XG$?

- (A) 17 (B) $\frac{59 - 5\sqrt{2}}{3}$ (C) $\frac{91 - 12\sqrt{3}}{4}$ (D) $\frac{67 - 10\sqrt{2}}{3}$
 (E) 18

25. The vertices V of a centrally symmetric hexagon in the complex plane are given by

$$V = \left\{ \sqrt{2}i, -\sqrt{2}i, \frac{1}{\sqrt{8}}(1+i), \frac{1}{\sqrt{8}}(-1+i), \frac{1}{\sqrt{8}}(1-i), \frac{1}{\sqrt{8}}(-1-i) \right\}.$$

For each j , $1 \leq j \leq 12$, an element z_j is chosen from V at random, independently of the other choices. Let $P = \prod_{j=1}^{12} z_j$ be the product of the 12 numbers selected. What is the probability that $P = -1$?

- (A) $\frac{5 \cdot 11}{3^{10}}$ (B) $\frac{5^2 \cdot 11}{2 \cdot 3^{10}}$ (C) $\frac{5 \cdot 11}{3^9}$ (D) $\frac{5 \cdot 7 \cdot 11}{2 \cdot 3^{10}}$
 (E) $\frac{2^2 \cdot 5 \cdot 11}{3^{10}}$

6. Joy has 30 thin rods, one each of every integer length from 1 cm through 30 cm. She places the rods with lengths 3 cm, 7 cm, and 15 cm on a table. She then wants to choose a fourth rod that she can put with these three to form a quadrilateral with positive area. How many of the remaining rods can she choose as the fourth rod?

- (A) 16 (B) 17 (C) 18 (D) 19 (E) 20

7. Define a function on the positive integers recursively by $f(1) = 2$, $f(n) = f(n-1) + 1$ if n is even, and $f(n) = f(n-2) + 2$ if n is odd and greater than 1. What is $f(2017)$?

- (A) 2017 (B) 2018 (C) 4034 (D) 4035 (E) 4036

8. The region consisting of all points in three-dimensional space within 3 units of line segment \overline{AB} has volume 216π . What is the length AB ?

- (A) 6 (B) 12 (C) 18 (D) 20 (E) 24

9. Let S be the set of points (x, y) in the coordinate plane such that two of the three quantities 3, $x+2$, and $y-4$ are equal and the third of the three quantities is no greater than this common value. Which of the following is a correct description of S ?

- (A) a single point (B) two intersecting lines
 (C) three lines whose pairwise intersections are three distinct points
 (D) a triangle (E) three rays with a common endpoint

10. Chloé chooses a real number uniformly at random from the interval $[0, 2017]$. Independently, Laurent chooses a real number uniformly at random from the interval $[0, 4034]$. What is the probability that Laurent's number is greater than Chloé's number?

- (A) $\frac{1}{2}$ (B) $\frac{2}{3}$ (C) $\frac{3}{4}$ (D) $\frac{5}{6}$ (E) $\frac{7}{8}$

11. Claire adds the degree measures of the interior angles of a convex polygon and arrives at a sum of 2017. She then discovers that she forgot to include one angle. What is the degree measure of the forgotten angle?

- (A) 37 (B) 63 (C) 117 (D) 143 (E) 163

12. There are 10 horses, named Horse 1, Horse 2, \dots , Horse 10. They get their names from how many minutes it takes them to run one lap around a circular race track: Horse k runs one lap in exactly k minutes. At time 0 all the horses are together at the starting point on the track. The horses start running in the same direction, and they keep running around the circular track at their constant speeds. The least time $S > 0$, in minutes, at which all 10 horses will again simultaneously be at the starting point is $S = 2520$. Let $T > 0$ be the least time, in minutes, such that at least 5 of the horses are again at the starting point. What is the sum of the digits of T ?

(A) 2 (B) 3 (C) 4 (D) 5 (E) 6

13. Driving at a constant speed, Sharon usually takes 180 minutes to drive from her house to her mother's house. One day Sharon begins the drive at her usual speed, but after driving $\frac{1}{3}$ of the way, she hits a bad snowstorm and reduces her speed by 20 miles per hour. This time the trip takes her a total of 276 minutes. How many miles is the drive from Sharon's house to her mother's house?

(A) 132 (B) 135 (C) 138 (D) 141 (E) 144

14. Alice refuses to sit next to either Bob or Carla. Derek refuses to sit next to Eric. How many ways are there for the five of them to sit in a row of 5 chairs under these conditions?

(A) 12 (B) 16 (C) 28 (D) 32 (E) 40

15. Let $f(x) = \sin x + 2\cos x + 3\tan x$, using radian measure for the variable x . In what interval does the smallest positive value of x for which $f(x) = 0$ lie?

(A) (0, 1) (B) (1, 2) (C) (2, 3) (D) (3, 4) (E) (4, 5)

21. A set S is constructed as follows. To begin, $S = \{0, 10\}$. Repeatedly, as long as possible, if x is an integer root of some polynomial $a_n x^n + a_{n-1} x^{n-1} + \dots + a_1 x + a_0$ for some $n \geq 1$, all of whose coefficients a_i are elements of S , then x is put into S . When no more elements can be added to S , how many elements does S have?

(A) 4 (B) 5 (C) 7 (D) 9 (E) 11

22. A square is drawn in the Cartesian coordinate plane with vertices at $(2, 2)$, $(-2, 2)$, $(-2, -2)$, and $(2, -2)$. A particle starts at $(0, 0)$. Every second it moves with equal probability to one of the eight lattice points (points with integer coordinates) closest to its current position, independently of its previous moves. In other words, the probability is $\frac{1}{8}$ that the particle will move from (x, y) to each of $(x, y + 1)$, $(x + 1, y + 1)$, $(x + 1, y)$, $(x + 1, y - 1)$, $(x, y - 1)$, $(x - 1, y - 1)$, $(x - 1, y)$, or $(x - 1, y + 1)$. The particle will eventually hit the square for the first time, either at one of the 4 corners of the square or at one of the 12 lattice points in the interior of one of the sides of the square. The probability that it will hit at a corner rather than at an interior point of a side is $\frac{m}{n}$, where m and n are relatively prime positive integers. What is $m + n$?

(A) 4 (B) 5 (C) 7 (D) 15 (E) 39

23. For certain real numbers a , b , and c , the polynomial

$$g(x) = x^3 + ax^2 + x + 10$$


has three distinct roots, and each root of $g(x)$ is also a root of the polynomial

$$f(x) = x^4 + x^3 + bx^2 + 100x + c.$$

What is $f(1)$?

(A) -9009 (B) -8008 (C) -7007 (D) -6006 (E) -5005

16. In the figure below, semicircles with centers at A and B and with radii 2 and 1, respectively, are drawn in the interior of, and sharing bases with, a semicircle with diameter \overline{JK} . The two smaller semicircles are externally tangent to each other and internally tangent to the largest semicircle. A circle centered at P is drawn externally tangent to the two smaller semicircles and internally tangent to the largest semicircle. What is the radius of the circle centered at P ?



- (A) $\frac{3}{4}$ (B) $\frac{6}{7}$ (C) $\frac{1}{2}\sqrt{3}$ (D) $\frac{5}{8}\sqrt{2}$ (E) $\frac{11}{12}$
17. There are 24 different complex numbers z such that $z^{24} = 1$. For how many of these is z^6 a real number?
- (A) 0 (B) 4 (C) 6 (D) 12 (E) 24
18. Let $S(n)$ equal the sum of the digits of positive integer n . For example, $S(1507) = 13$. For a particular positive integer n , $S(n) = 1274$. Which of the following could be the value of $S(n + 1)$?
- (A) 1 (B) 3 (C) 12 (D) 1239 (E) 1265
19. A square with side length x is inscribed in a right triangle with sides of length 3, 4, and 5 so that one vertex of the square coincides with the right-angle vertex of the triangle. A square with side length y is inscribed in another right triangle with sides of length 3, 4, and 5 so that one side of the square lies on the hypotenuse of the triangle. What is $\frac{x}{y}$?
- (A) $\frac{12}{13}$ (B) $\frac{35}{37}$ (C) 1 (D) $\frac{37}{35}$ (E) $\frac{13}{12}$
20. How many ordered pairs (a, b) such that a is a positive real number and b is an integer between 2 and 200, inclusive, satisfy the equation $(\log_b a)^{2017} = \log_b(a^{2017})$?
- (A) 198 (B) 199 (C) 398 (D) 399 (E) 597